



(Attached pages)

(No.) BG24001744

page1of4

|  |   |               |            |             |            |
|--|---|---------------|------------|-------------|------------|
| Test Type  | Commission Test   | Date Received | 2024-07-11 | Date issued | 2024-07-18 |
| Applicant  | Certivision(Xiamen) Ltd.  |               |            |             |            |
| Manufacture  | Certivision(Xiamen) Ltd.  |               |            |             |            |
| Sample Description   | <div> <div>Sample Description:</div> <div>Care Label (CKH02)</div> <div>Submitted Fiber Content:</div> <div>---</div> <div>Color:</div> <div>---</div> <div>Claimed Fabric Weight:</div> <div>---</div> <div>Style/Item#:</div> <div>---</div> <div>PO No.:</div> <div>---</div> <div>Buyer/Customer:</div> <div>---</div> <div>Goods exported to:</div> <div>---</div> <div>Product End Use:</div> <div>---</div> <div># of Samples:</div> <div>18pc(s)</div> <div>Type of Testing:</div> <div>---</div> <div>Submitted Care Instruction(s):</div> <div>---</div> </div> |               |            |             |            |
| <div> <div>Approved by</div> <div><i>Pei Chen.</i></div> <div>PeiChen(Director)</div> </div> |   |               |            |             |            |
| Notes  | <p>This report is valid only for the samples delivered by clients.</p> <p>The laboratory is not responsible for the sample information authenticity, which is provided by the customer.</p> <p>If there is any objection concerning the report, it is required that the objection should be put forth to the center within 15 days from the reception date of the report.</p> <p>The testing and inspecting results of labels exclude the verification of the authenticity of the contents.</p>   |               |            |             |            |



(Attached pages)

(No.) BG24001744

page2of4

| NO. | Items                           | Judgment Basis | Conclusion |
|-----|---------------------------------|----------------|------------|
| 1   | Colour fastness to water        | ---            | ---        |
| 2   | Colour fastness to rubbing      | ---            | ---        |
| 3   | Colour fastness to perspiration | ---            | ---        |
| 4   | Colour fastness to washing      | ---            | ---        |
| 5   | Colour fastness to dry cleaning | ---            | ---        |




|  |           | Requirement | Results | Judgement |
|--|-----------|-------------|---------|-----------|
| <b>1 Colour fastness to water(Grade) *AATCC 107-2013(2016)</b>       |           |             |         |           |
| Color change   |           | —           | 4.5     | ---       |
| Staining   | Acetate   | —           | 4.5     | ---       |
|  | Cotton    | —           | 4.5     |           |
|  | Polyamide | —           | 4.5     |           |
|  | Polyester | —           | 4.5     |           |
|  | Acrylic   | —           | 4.5     |           |
|  | Wool      | —           | 4.5     |           |
| Self-Staining  |           | —           | 4.5     |           |
| <b>2 Colour fastness to rubbing(Grade) *AATCC 116-2013</b>           |           |             |         |           |
| dry rubbing  |           | —           | 4.5     | ---       |
| wet rubbing  |           | —           | 4.5     |           |
| <b>3 Colour fastness to perspiration(Grade) *AATCC 15-2013(2014)</b> |           |             |         |           |
| Color change   |           | —           | 4.5     | ---       |
| Staining   | Acetate   | —           | 4.5     | ---       |
|  | Cotton    | —           | 4.5     |           |
|  | Polyamide | —           | 4.5     |           |
|  | Polyester | —           | 4.5     |           |
|  | Acrylic   | —           | 4.5     |           |
|  | Wool      | —           | 4.5     |           |
| Self-Staining  |           | —           | 4.5     |           |
| <b>4 Colour fastness to washing(Grade) *AATCC 61-2013e(2020)</b>     |           |             |         |           |
| Colour change  |           | —           | 4.5     | ---       |
| Staining   | Acetate   | —           | 4.5     | ---       |
|  | Cotton    | —           | 4.5     |           |
|  | Polyamide | —           | 4.5     |           |
|  | Polyester | —           | 4.5     |           |
|  | Acrylic   | —           | 4.5     |           |
|  | Wool      | —           | 4.5     |           |

Remark: 1A, Temperature 40℃, Time 45min, 10 steel balls



|   |           | Requirement            | Results | Judgement |
|---|-----------|------------------------|---------|-----------|
| <b>5 Colour fastness to dry cleaning(Grade)</b> |           | <b>*AATCC 132-2013</b> |         | ---       |
| Colour change                                   |           | —                      | 4.5     |           |
| Staining  | Acetate   | —                      | 4.5     |           |
|   | Cotton    | —                      | 4.5     |           |
|   | Polyamide | —                      | 4.5     |           |
|   | Polyester | —                      | 4.5     |           |
|   | Acrylic   | —                      | 4.5     |           |
|   | Wool      | —                      | 4.5     |           |
| Self-Staining                                   |           | —                      | 4.5     |           |

### Sample Photo



\*\*\* End of Report\*\*\*

